Dominika Sidor MA
English language certified translator
ul. Cicha 27
PL- 44-300 Wodzisław Śl.
Tel. +48 605 999 507
TP/1505/05

A certified translation from Polish into English

CE
DAKAMA STONE sp. z o.o. (plc) 47-430 Rudy, ul. Rybnicka Phone no.: +48 32/ 410 48 19, mobile phone: +48 605 060 073 NIP no.: 639-200-50-98-/-
13-/-
PN-EN 14992+A1:2012 Precast concrete products. Parts of walls.-/-
Concrete cladding slabs DAKAMA STONE for interiors.-/- Product range: SKALNY, SKALNY NAROŻNIK [CORNER], NEBRASKA, ARIZONA, ARIZONA NAROŻNIK [CORNER], CASTILLO, NEVADA, COLORADO, COUNTRY, MONTANA, MONTANA NAROŻNIK [CORNER] ALASKA, KRYPTON, OTOCZAK, ISEO.-/-
Purpose: precast concrete product – cladding slab (name) from concrete C20/25-/- Use: surface of interior walls-/- Concrete strength class: ≥ C20/25-/- Bending strength average: ≥ 3.5 Mpa-/- Absolute water absorption – absorption ratio: ≤ 6%-/- Freeze-thaw resistance with salt: mass los after testing: ≤ 1.0 kg/m3-/- Thermal conductivity: NPD-/- Fire resistance: A1-/- Density: 2260-2306 kg/m3
Batch:
Declaration of conformity no.: OW-1/2013-25-DAKAMA STONE

xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

1. I, Dominika Sidor, a sworn translator of the English language, certify the conformity of this translation with a presented document in Polish. Wodzisław Śląski, on 30th January 2015.
2. Number in the register of translators 28/2015.
3. A document has been drawn up in one copy.

Dominika Sidor

Dominika Sidor MA
English language certified
translator
ul. Cicha 27
PL- 44-300 Wodzisław Śl.
Tel. +48 605 999 507
TP/1505/05

A certified translation from Polish into English

DECLARATION OF PERFORMANCE (DoP)-/-

no. OZ-2/2013-37-DAKAMA STONE-/-

1.Unique identification code of the product-type: (1) precast concrete products. Parts of walls - concrete claddings- DAKAMA STONE.-/-

2. Type, batch or serial number or any other identification element of a construction product: cladding slabs from standard compact concrete used for facades. Production date marked on the product's label.-/-

3. Article's purpose or purposes of the construction product provided for by the producer according to current harmonised techical specification:

Cladding slabs from standard compact concrete used for facades. Non-load bearing slab attached to the construction with joining systems. Slabs used for interiors and exteriors.-/-

4. Name: (registered trade name or registered trademark): Concrete cladding slabs type "decorative stone" - DAKAMA STONE. Product range: SKALNY, SKALNY NAROŻNIK [CORNER], NEBRASKA, ARIZONA, ARIZONA NAROŻNIK [CORNER], CASTILLO, NEVADA, COLORADO, COUNTRY, MONTANA, MONTANA NAROŻNIK [CORNER] ALASKA, KRYPTON, OTOCZAK, ISEO.-/-

Producer's address: DAKAMA STONE sp. z o.o. (plc), ul. Rybnicka, 47-430 Rudy-/-

5. Name and contact address of the authorised representative (power-of-attorney): n/a-/-

6. System or systems of assessment and verification of constancy of performance of the construction product: compliance assessment system no. 4-/-

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: n/a-/-

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued: n/a-/-

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Concrete cladding slab	Resistance classification ≥ C30/37	PN-EN 14992+A1:2012
Bulk density classification	2,3	

Sidor

Fire resistance	Euroclass A1	PN-EN 14992+A1:2012
Water vapour permeability coefficient	μ =30/100	PN-EN 14992+A1:2012
Absolute water absorption	≤6%	PN-EN 14992+A1:2012
Direct airborne sound insulation	Gross density ≤2350 kg/m3	PN-EN 14992+A1:2012

In case of using special technical documentation was used pursuant art. 37 or 38, requirements with which the product is compliant: n/a-/-

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.-/-

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.-/-

On behalf of the manufacturer:

Ink rectangular seal with the following inscription: DAKAMA STONE SP. Z O.O., President of the Management Board, Grzegorz Wojdylak, illegible signature.-/-

Place and date of issue: Rudy, 25.08.2013-/-

xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

1. I, Dominika Sidor, a sworn translator of the English language, certify the conformity of this translation with a presented document in Polish. Wodzisław Śląski, on 30th January 2015.
2. Number in the register of translators 27/2015.
3. A document has been drawn up in one copy.

Dominika Sidor

Tolerances of measures	Class A (± 3mm)	
Fire resistance	Euroclass A1	
Water vapour permeability coefficient	μ =30/100	
Absolute water absorption	≤ 6%	
Direct airborne sound insulation	Gross density ≤ 2350 kg/m3	

In case of using special technical documentation was used pursuant art. 37 or 38, requirements with which the product is compliant: n/a-/-

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.-/-

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.-/-

On behalf of the manufacturer:

Ink rectangular seal with the following inscription: DAKAMA STONE SP. Z O.O., President of the Management Board, Grzegorz Wojdylak, illegible signature.-/-

Place and date of issue: Bielsko-Biała, 01.07.2013-/-

xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

1. I, Dominika Sidor, a sworn translator of the English language, certify the conformity of this translation with a presented document in Polish. Wodzisław Śląski, on 30th January 2015.
2. Number in the register of translators 26/2015.
3. A document has been drawn up in one copy.

Dominika Sidor MA
English language certified
translator
ul. Cicha 27
PL- 44-300 Wodzisław Śl.
Tel. +48 605 999 507
TP/1505/05

A certified translation from Polish into English

DECLARATION OF PERFORMANCE (DoP)-/-

no. OW-1/2013-25-DAKAMA STONE-/-

1.Unique identification code of the product-type: (1) precast concrete products. Parts of walls - concrete claddings- DAKAMA STONE.-/-

2. Type, batch or serial number or any other identification element of a construction product: cladding slabs from standard compact concrete used for interiors. Production date marked on the product's label.-/-

3. Article's purpose or purposes of the construction product provided for by the producer according to current harmonised techical specification:

Cladding slabs from standard compact concrete used for interiors. Non-load bearing slab attached to the construction with joining systems.-/-

4. Name: (registered trade name or registered trademark): Concrete cladding slabs type "decorative stone" - DAKAMA STONE. Product range: SKALNY, SKALNY NAROŻNIK [CORNER], NEBRASKA, ARIZONA, ARIZONA NAROŻNIK [CORNER], CASTILLO, NEVADA, COLORADO, COUNTRY, MONTANA, MONTANA NAROŻNIK [CORNER] ALASKA, KRYPTON, OTOCZAK, ISEO.-/-

5. Name and contact address of the authorised representative (power-of-attorney): n/a-/-

6. System or systems of assessment and verification of constancy of performance of the construction product: compliance assessment system no. 4-/-

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: n/a-/-

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued: n/a-/-

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Concrete cladding slab	Resistance classification ≥ C20/25	PN-EN 14992+A1:2012
Bulk density classification	≤ 2,3	PN-EN 14992+A1:2012
Tolerances of measures	Class A (± 3mm)	PN-EN 14992+A1:2012

Sidor